

Brief statement under Article 19(1)

Claim 1 is amended to incorporate all the limitations as recited in claim 3.

Claim 11 is amended to incorporate all the limitations as recited in claim 13.

- 40 -

CLAIMS

1. (Amended) An ink container connectable and disconnectable to and from an ink supply path, comprising:

5 a plurality of ink containing parts for containing three or more different inks; and

 a plurality of supplying parts which can be connected and disconnected to and from the ink supply path and which can supply plural types of ink contained in the plurality
10 of ink containing parts, wherein

 the plurality of supplying parts include a specific supplying part for supplying the ink which undergoes the most significant color change attributable to color mixing of the inks;

15 the plurality of supplying parts are disposed at respective intervals;

 the interval between the specific supplying part and another of the supplying parts adjacent thereto is greater than the intervals between other supplying parts excluding
20 the specific supplying part;

 the inks contained in the plurality of ink containing parts include a yellow ink, a cyan ink, and a magenta ink; and

 the ink which undergoes the most significant color
25 change attributable to color mixing of the inks is the yellow ink.

. 2. An ink container according to claim 1, wherein the plurality of supplying parts can be connected and disconnected to and from a plurality of receiving parts in the ink supply
5 path.

3. (Canceled)

4. An ink container according to claim 1, wherein the plurality of supplying parts are disposed on the same plane.

5

5. An ink container according to claim 1, further comprising a connecting section connectable and disconnectable to and from an ink supply path forming member in which the ink supply path is formed,

10 wherein the plurality of supplying parts are disposed at the connecting section.

6. An ink container according to claim 5; wherein the connecting section includes a tubular connecting member in communication with the ink containing part, a seal member for sealing an end of the connecting member, and a keep plate for securing the seal member at the end of the connecting member; and

15

 the supplying part is located in an opening formed in the keep plate.

20

7. An ink container according to claim 5, wherein the ink supply path forming member is a constituent member of an inkjet printing head.

5

8. An ink container according to claim 1, further comprising positioning means which positions the ink container relative to the ink supply path forming member in which the ink supply path is formed.

10

9. An ink container according to claim 8, wherein the positioning means is located between the specific supplying part and another of the supplying parts adjacent thereto.

15

10. An ink container according to claim 8, wherein the positioning means includes a hole which can be engaged with a protrusion provided on the ink supply path forming member.

20

11. (Amended) An inkjet printing head connectable and disconnectable to and from an ink container, comprising:
a plurality of ink ejecting parts capable of ejecting three or more different inks; and

25

a plurality of receiving parts which can be connected and disconnected to and from the ink container and which can receive the plural types of ink ejected by the plurality of ink ejecting parts from the ink container, wherein

the plurality of receiving parts include a specific receiving part for receiving the ink which undergoes the most significant color change attributable to color mixing of the inks;

5 the plurality of receiving parts are disposed at respective intervals;

the interval between the specific receiving part and another of the receiving parts adjacent thereto is greater than the intervals between other receiving parts excluding
10 the specific receiving part of interest

the inks received by the plurality of receiving parts include a yellow ink, a cyan ink, and a magenta ink; and

the ink which undergoes the most significant color change attributable to color mixing of the inks is the yellow
15 ink.

12. An inkjet printing head according to claim 11, wherein the plurality of receiving parts can be connected and disconnected to and from a plurality of ink supplying
20 parts of the ink container.

13. (Canceled)

14. An inkjet printing head according to claim 11,
25 further comprising positioning means which positions the